

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1253	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) with (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4)) same ((final or destination or receiv\$3 or transfer \$4 or second\$3) near4 (fax or facsimile or mfp or multi \$3function\$3) with (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:13
S2	322	S1 and ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) near4 (fax or facsimile or mfp or multi \$3function\$5) with ((transmitting or transmitter or sender or sending or originator or originating or client or host) near4 (device or side or computer or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:17

		pc or terminal or fax or facsimile or mfp or multi\$3function\$5))				
S3	204	S2 and ((transmitting or transmitter or sender or sending or originator or originating or client or host) near4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5)) with (receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:18
S4	85	S3 and ((receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6)) same ((beginning or commenc\$6 or start\$5 or begin or initiat\$4 or phase) with (data or communicat\$6 or transmi\$7 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:18
S5	69	S4 and ((relay\$5 or transit or transfer\$5 or routing or routed or route) near4 (image or data or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:20

S7	1	S5 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi \$3function\$3)) with ((final or destination or receiv\$3 or transfer \$4 or second\$3) near4 (fax or facsimile or mfp or multi \$3function\$3)) with (both) with (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:29
S8	1	S5 and ((both) near3 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4)) same (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) near3 (receiv\$5 or process\$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:36

S9	1	"5621894" and ((both near3 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) near3 (receiv\$5 or process\$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:41
S10	1845	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) with (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((final or destination or receiv\$3 or transfer\$4 or second\$3) near4 (fax or facsimile or mfp or multi\$3function\$3) with (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:50

		format or formatting or formatted))				
S11	562	S10 and ((relay\$5 or transit or intermediate or rout\$5 or central or server or transfer\$5 or first or gateway) near4 (fax or facsimile or mfp or multi\$3function\$5) with ((transmitting or transmitter or sender or sending or originator or originating or client or host) near4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:50
S12	347	S11 and ((transmitting or transmitter or sender or sending or originator or originating or client or host) near4 (device or side or computer or pc or terminal or fax or facsimile or mfp or multi\$3function\$5)) with (receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast\$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6 or format or formatting or formatted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:51

S13	117	S12 and ((receiv\$5 or notif\$8 or informing or informed or inform or report\$5 or broadcast \$5) with (speed or rate or ((memory or stor\$6 or buffer\$5) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$6 or format or formatting or formatted)) same ((beginning or commenc\$6 or start \$5 or begin or initiat \$4 or phase) with (data or communicat \$6 or transmi\$7 or send\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:55
S14	99	S13 and ((relay\$5 or transit or transfer\$5 or routing or routed or route) near4 (image or data or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:55
S15	1	S14 and ((both) near4 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) near3 (receiv\$5 or process\$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:56

S16	1	S13 and ((both) near4 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) near3 (receiv\$5 or process\$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:56
S17	3	S12 and ((both) near4 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) near3 (receiv\$5 or process\$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 10:57

S18	3	S12 and ((both) near4 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) near3 (designat\$5 or assign\$7 or output\$3 or receiv\$5 or process \$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:04
S19	6	((both) near4 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) near3 (designat\$5 or assign\$7 or output\$3 or receiv\$5 or process \$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:05

S20	432	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) near4 (fax or facsimile or mfp or multi\$3function\$3) with (color)) same ((final or destination or receiv\$3 or transfer \$4 or second\$3) near4 (fax or facsimile or mfp or multi \$3function\$3) with (color))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:09
S21	3	S20 and ((transmi\$6 or send\$3) near4 (color)) same ((relay \$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) near3 (designat\$5 or assign\$7 or output\$3 or receiv\$5 or process \$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:12
S22	3	S20 and ((transmi\$6 or send\$3 or detect\$5 or judg\$5 or discriminat\$4) near4 (color)) same ((relay \$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) near3 (designat\$5 or assign\$7 or output\$3 or receiv\$5 or process \$5 or print\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:13

		reproduc\$5) near4 (image or data or picture or document))				
S23	39	S20 and ((color)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function \$3) near3 (designat\$5 or assign\$7 or output \$3 or receiv\$5 or process\$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:13
S24	66	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((final or destination or receiv \$3 or transfer\$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((identical\$5 or "same" or equivalent or equal\$5 or similar \$3) near3 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:22

S25	11	S24 and ((identical\$5 or "same" or equivalent or equal\$5 or similar\$3) near3 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) near3 (designat\$5 or assign\$7 or output\$3 or receiv\$5 or process\$5 or print\$5 or reproduc\$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:22
S26	11	S24 and ((both or identical\$5 or "same" or equivalent or equal\$5 or similar\$3) near3 (speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) near3 (designat\$5 or assign\$7 or output\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:24

		or receive\$5 or process\$5 or print\$5 or reproduce\$5) near4 (image or data or picture or document))				
S27	88	((relay\$3 or transit or intermediate or route\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((final or destination or receive\$3 or transfer\$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((identical\$5 or "same" or equivalent or equal\$5 or similar\$3 or comparable or both) near3 (speed or rate or ((memory or store\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrome\$4 or format or formatting or formatted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:26
S28	16	S27 and ((identical\$5 or "same" or equivalent or equal\$5 or similar\$3 or comparable or both) near3 (speed or rate or ((memory or store\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrome\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or route\$3 or central or server or transfer\$4 or first or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:31

		gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) near3 (select\$5 or choos\$3 or chosen or designat\$5 or assign \$7 or output\$3 or receiv\$5 or process\$5 or print\$5 or reproduc \$5) near4 (image or data or picture or document))				
S29	307	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((final or destination or receiv \$3 or transfer\$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((identical\$5 or "same" or equivalent or equal\$5 or similar \$3 or comparable or both) near4 (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity))) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:36

S31	29	S29 and ((identical\$5 or "same" or equivalent or equal\$5 or similar\$3 or comparable or both) near3 (function or functionality or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) near3 (select\$5 or choos\$3 or chosen or designat\$5 or assign \$7 or output\$3 or receiv\$5 or process\$5 or print\$5 or reproduc \$5) near4 (image or data or picture or document))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:37
S32	1	S29 and kagawa.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:45
S33	1	S29 and kagawa.in. and "s58"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:49
S34	1	S29 and kagawa.in. and "s126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:50

S35	8	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((final or destination or receive\$3 or transfer\$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without with (transfer\$5 or relay\$5)) same ((identical\$5 or "same" or equivalent or equal\$5 or similar\$3 or comparable or both) near4 (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:56
S36	26	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((final or destination or receive\$3 or transfer\$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without near3 (transfer\$5 or relay\$5)) same ((functionality or function or speed or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 11:59

		rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))				
S37	21	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) with (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((final or destination or receiv\$3 or transfer \$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function \$3)) same ((abort\$5 or stop\$3 or without or ignor\$3) near3 (transfer\$5 or relay \$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:03
S38	306	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (printer or printing) with (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:04

		or capability or attribute or color or monochrom\$4 or format or formatting or formatted)) same ((final or destination or receiv\$3 or transfer \$4 or second\$3) adj4 (printer or printing)) same ((abort\$5 or stop \$3 or without or ignor \$3) near3 (transfer\$5 or relay\$5))				
S39	0	S38 and shima.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:04
S40	2	"6940615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:05
S41	1	"6940615".pn. and "2304"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:13
S42	0	"6940615".pn. and "81" with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:16
S43	0	"6940615".pn. and "81" same text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:16
S44	1	"6940615".pn. and text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:16
S45	1	"6940615".pn. and "81" with format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:16

S46	0	"6940615".pn. and txt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:20
S47	0	"6940615".pn. and default with format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:20
S48	0	"6940615".pn. and default	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:20
S49	0	"6940615".pn. and every with format\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:20
S50	2	"5696598".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:31
S51	1	"5696598".pn. and transit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:32
S52	0	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same ((final or destination or receiv \$3 or transfer\$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without near3 (transfer\$5 or relay \$5)) same (default\$3 near5 (functionality or function or speed or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:34

		rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))				
S53	0	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without near3 (transfer\$5 or relay \$5)) same (default\$3 near5 (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:35
S54	7	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without near3 (transfer\$5 or relay \$5)) same ((determin \$5 or detect\$3 or judg \$5) near5 (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:36

		attribute or color or monochrom\$4 or format or formatting or formatted))				
S55	7	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without near3 (transfer\$5 or relay \$5)) same ((capable or able or determin\$5 or detect\$3 or judg\$5) near5 (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:37
S56	9	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without near3 (transfer\$5 or relay \$5)) same ((print\$3 or reproduc\$5 or capable or able or determin\$5 or detect \$3 or judg\$5) near5 (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:37

		monochrom\$4 or format or formatting or formatted))				
S57	9	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3)) same (without near3 (transfer\$5 or relay \$5)) same ((render\$3 or record\$3 or print\$3 or reproduc\$5 or capable or able or determin\$5 or detect \$3 or judg\$5) near5 (functionality or function or speed or rate or ((memory or stor\$3 or buffer\$4) near3 (size or capacity)) or property or capability or attribute or color or monochrom\$4 or format or formatting or formatted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 12:37
S58	26	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) with (color)) same ((final or destination or receiv\$3 or transfer \$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function \$3) with (monochrom \$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 16:57

S59	9	S58 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) with (receiv\$5) with (monochrom\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 16:58
S60	42	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) with (color)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3) adj4 (fax or facsimile or mfp or multi\$3function\$3) with (monochrom\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:00
S61	9	S60 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) with (receiv\$5) with (monochrom\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:00
S62	74	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) same (color)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3) adj4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:01

		(fax or facsimile or mfp or multi\$3function\$3) same (monochrom\$4))				
S64	9	S62 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) with (receiv\$5) with (monochrom\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:01
S65	74	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) same (color)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3) same (monochrom\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:02
S66	90	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3) same (color or monochrom\$4)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3) same (monochrom\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:02

S67	9	S66 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function \$3) with (receiv\$5) with (monochrom \$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:03
S68	13	S66 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function \$3) with (receiv\$5) same (monochrom \$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:03
S69	1054	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (color or monochrom\$4)) and (((final or destination or receiv \$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi \$3function\$3 or communication or device) same (monochrom\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:05

S70	42	\$69 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) with (receiv\$5) with (monochrom\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:05
S71	552	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g3 or g4)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:09
S72	223	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g4)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:09

S73	32	S72 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) with (receiv\$5) with (g3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/10 17:09
S74	223	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g4)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:32
S75	32	S74 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) with (receiv\$5) with (g3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:32
S76	1	S75 and (both with g3 with g4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:42

S77	13	S74 and (both with g3 with g4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:46
S78	204	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same g3 same (g4)) and ((final or destination or receive\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:54
S79	5	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (only with g3)) and ((final or destination or receive\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same g4 same (g3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:55

S80	17	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (g3)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same both same g4 same (g3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:56
S81	2	S80 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) with (receiv\$5) with (g3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:56
S82	252	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same ((low\$3resolution or ((fine or standard or low) adj2 resolution)))) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 09:59

		device) same ((high \$3resolution or ((high or super or ultra) adj2 resolution))))				
S83	35	S82 and ((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function \$3 or communication or device) with (receiv \$5) with ((low \$3resolution or ((fine or standard or low) adj2 resolution)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:03
S84	321	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same ((low \$3resolution or ((fine or standard or low) adj2 (quality or resolution)))))) and ((final or destination or receiv\$3 or transfer \$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same ((high \$3resolution or ((high or super or ultra) adj2 (quality or resolution))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:05

S85	42	S84 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function \$3 or communication or device) with (receiv \$5) with ((low \$3resolution or ((fine or standard or low) adj2 (quality or resolution)))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:06
S86	1	S84 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function \$3 or communication or device) with (receiv \$5) with ((low \$3resolution or ((fine or standard or low) adj2 (quality or resolution))))) same without	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:07
S87	94	((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (fax or facsimile) same (g3)) and ((final or destination or receiv \$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi \$3function\$3 or communication or device) same (fax or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:08

		facsimile) same g4 same (g3))				
S88	7	S87 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) with (receiv\$5 or input\$5 or receipt\$5 or detect\$5 or determin\$5 or judg\$5) with (g3)) same (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device)) with (process\$5 or print\$5 or reproduc\$5 or record\$5 or output\$4) with (image or data or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:10
S89	33	((relay\$3 or transit or intermediate or rout\$3 or central or server or gateway) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (fax or facsimile) same (g3)) and ((final or destination or receiv\$3 or transfer\$4 or second\$3 or third) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) same (fax or facsimile) same g4 same (g3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:20

S90	4	S89 and (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device) with (receiv\$5 or input\$5 or recept\$5 or detect\$5 or determin\$5 or judg\$5) with (g3)) same (((relay\$3 or transit or intermediate or rout\$3 or central or server or transfer\$4 or first or gateway or primary or main) adj4 (fax or facsimile or mfp or multi\$3function\$3 or communication or device)) with (process\$5 or print\$5 or reproduc\$5 or record\$5 or output\$4) with (image or data or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:25
S91	2	"6333789".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:27
S92	2	"6940615".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:27
S93	1	"6940615".pn. and "81" with receiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:27
S94	1	"6940615".pn. and "81" and (text or txt or "txt")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:33

S95	0	"6940615".pn. and "81" same (character or text or txt or "txt")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:34
S96	2	"5666489".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/12 10:48

7/13/09 5:04:27 PM

**C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\09881402.071009.
wsp**